

ÄNDERUNGEN
CHANGES

Ⓐ 17 ER 33043

D	17DR33244	<i>Kn</i>	3.91
C	17DR33163	Kn.	9.80
B	17ER33136	Kn.	4.80
—	17ER33043	<i>NW</i>	5.79
INDEX REV.	FREIG.-MITTLG. NR. RELEASE-NO.	NAME DFTS	DATE

DIESE ZEICHNUNG IST UNSER GEISTIGES EIGENTUM UND URHEBERRECHTLICH
GESCHÜTZT. SIE DARF NUR MIT UNSERER GENEHMIGUNG KOPIERT ODER AN
DRITTE WEITERGEGEBEN WERDEN.

THIS DRAWING AND INFORMATION THEREON IS THE PROPERTY OF THE
NATIONAL CASH REGISTER COMPANY AND ALL UNAUTHORIZED USE AND
REPRODUCTION IS PROHIBITED.

2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
A	A	A	A	A	A																				
-	-	-	-	B																					
-	-	-	C	C																					
-	-	-	D	D																					

NCR NATIONAL REGISTRIER KASSEN G.M.B.H.
AUGSBURG

GRUPPE
UNIT 6441 MATRIX CHARACTER PRINTER

NAME KIT-6441-KO20-V 001

Character Set 7x7, U.S. 64 CH.

GEZ.
DESIGNER *NW*

ERSETZT DURCH
SUPSD BY

GEPR.
CHKR *NW*

ERSATZ FÜR
SUPERSEDES

SEITE
PAGE 1 FORTS
CONT.

DATUM
DATE 27.6.79

CODE —

603-6091026

Installation of Feature Kit KO20, Character Set 7x7

U. S. 64 CH.

into a MATRIX CHARACTER PRINTER

6441 - XX XX-XX 98

After installation the Printer includes a character generator
with language code 00.

DIESE ZEICHNUNG IST UNSER GEISTIGES EIGENTUM UND URHEBERRECHTLICH GESCHÜTZT. SIE DARF NUR MIT UNSERER GENEHMIGUNG KOPIERT ODER AN DRITTE WEITERGEGEBEN WERDEN.		THIS DRAWING AND INFORMATION THEREON IS THE PROPERTY OF THE NATIONAL CASH REGISTER COMPANY AND ALL UNAUTHORIZED USE AND REPRODUCTION IS PROHIBITED.	
ÄNDERUNGEN (A) 17 ER 33043 CHANGES		NCR NATIONAL REGISTER KASSEN G.M.B.H. AUGSBURG	
		GRUPPE UNT MATRIX CHARACTER PRINTER	
		NAME KIT-6441-KO20-V.00.1	
		Character Set 7 x 7, U.S. 64 CH.	
		GEZ. DESIGNER <i>W. W.</i> ERSETZT DURCH SURSO BY	
		GEPR. CHKR. ERSATZ FÜR SURFRIEDER	
		SEITE 2 PAGE CONT	603-6091026
		DATUM DATE 27.6.79	
		CODE -	

NCR 6441

FEATURE KO20 INSTALLATION INSTRUCTION

TABLE OF CONTENTS

PURPOSE	4
REFERENCE DRAWING	6
PROCEDURE	4
Preparation for Installation	5
Installation	5
Replacement	5
 PARTS LIST	 6
PACKING INSTRUCTIONS	5
EQUIPMENT CHANGE LEVEL RECORD	5

PURPOSE

The purpose of this installation instruction is to outline the steps necessary to install KO20, character set 7 x 7,

U. S. 64 CH.

in the field.

This Feature Kit contains a Character Generator EPROM.

REFERENCE DRAWING

Figure 1 Printer Cabinet and Printer Controller Board.

PROCEDURE

The needed parts of this Kit are listed in the parts list and identified in figure 1 by a letter and part number.

After completing the installation, run LINEPTR diagnostic program to test the printer functions.

Preparation for installation

- 1) Disconnect the Power Plug, if applicable.
- 2) Loosen 4 Screws (A) and remove Cabinet (B)
- 3) Remove 3 Screws (C) and remove Protection Plate (D)

Installation

- . Plug-in the Character Generator ROM (E)
in the socket U*) (F) of the Printer Controller
Board (G).

Note: Take care for correct EPROM-insertion.

Replacement

- 1) Replace Protection Plate (D) and tighten 3 Screws (C).
- 2) Replace Cabinet (B) and tighten 4 Screws (A).

EQUIPMENT CHANGE LEVEL RECORD

- . Attach the change level label to the change level record card.

PACKING INSTRUCTION

- . Attach 1 label 017-0006398 to the packing container
- . Put installation instruction and 1 label 017-0006398
into bag V00 - 0010598.

*) Controller Board 017-0006304 = U 34
017-0006307 and up = U 25 (CHG 1)

PARTS LIST (parts to be added)

Req.	PARTS-No.	NAME	Ref.Letter in Figure 1	Remark
1	008-0028219	INTEGR. CIRCUIT	E	
2	017-0006398	LABEL-IDENTIFICATION		




FIGURE 1:
PRINTER CAB. AND PRINTER CONTR. BOARD